

Samsung DB40E 101,6 cm (40") Full HD Wifi Negro

Marca : Samsung

Código del producto: LH40DBEPLGA

Nombre del producto : DB40E

40"(1920 x 1080), 16:9, 60 Hz, 350 nit, 5,000:1, 178:178, 8 ms, 16.7 M, D-SUB, DVI-D, HDMI, Stereo Mini Jack, 121 W, 7.5 kg

Samsung DB40E. Diagonal de la pantalla: 101,6 cm (40"), Resolución de la pantalla: 1920 x 1080 Pixeles, Tipo HD: Full HD, Forma de la pantalla: Plana, Brillo de pantalla: 350 cd / m², Tiempo de respuesta: 8 ms, Razón de contraste (típica): 5000:1, Relación de aspecto nativa: 16:9. Wifi, Ethernet. Color del producto: Negro



Exhibición		Puertos e Interfaces	
Diagonal de la pantalla *	101,6 cm (40")	Número de puertos HDMI *	1
Tipo HD *	Full HD	PC (D-Sub) *	✓
Forma de la pantalla *	Plana	Control de energía	
Relación de aspecto nativa *	16:9	Consumo energético *	40 W
Brillo de pantalla *	350 cd / m ²	Consumo de energía (inactivo) *	0,5 W
Tiempo de respuesta *	8 ms	Consumo de energía (max)	121 W
Razón de contraste (típica) *	5000:1	Voltaje de entrada AC	100 - 240 V
Ángulo de visión, horizontal	178°	Frecuencia de entrada AC	50 - 60 Hz
Ángulo de visión, vertical	178°	Condiciones ambientales	
Resolución de la pantalla *	1920 x 1080 Pixeles	Intervalo de temperatura operativa	0 - 40 °C
Smart TV		Detalles técnicos	
Smart TV *	✗	Certificados de sostenibilidad	ENERGY STAR
Audio		Peso y dimensiones	
Número de altavoces *	2	Ancho (sin base)	90,7 cm
Potencia estimada RMS *	20 W	Profundidad (sin base)	4,99 cm
Conexión		Altura (sin base)	52,5 cm
Wifi *	✓	Peso (sin base)	7,5 kg
Ethernet *	✓	Empaquetado	
Diseño		Cables incluidos	RS-232
Interruptor de encendido/apagado integrado	✓	Mando a distancia incluido	✓
montaje VESA *	✓	Ancho del paquete	1012 mm
Interfaz de panel de montaje	200 x 200 mm	Profundidad del paquete	605 mm
Color del producto *	Negro	Altura del paquete	138 mm
Desempeño		Peso del paquete	9,1 kg
Oscurecimiento local	✗	Otras características	
Conectar y usar (Plug and Play)	✓	3D	✗
Puertos e Interfaces		Pilas incluidas	✓
Puerto DVI	✓	Altavoces incorporados	✓
Cantidad de puertos DVI-D	1	Consumo de energía anual	111 kWh
Ethernet LAN (RJ-45) cantidad de puertos *	1	Intervalo de humedad relativa para funcionamiento	10 - 80%
Cantidad de puertos USB 2.0 *	1	Clase de eficiencia energética (antigua)	B

Puertos e Interfaces

Interfaz común *	✘
Interfaz común Plus (CI+) *	✘

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 10-FEB-2023. Prints or copies of Information are only valid on the printed Publication date